TRADUTOR PÚBLICO

INGLÊS - PORTUGUÊS

TRADUÇÃO OFICIAL

Alphaville: Alameda Araguaia, 1293 - 7° andar - sala 706 - Barueri - SP - 06455-000 TEL.: 55 11 4191-6868 – Fax: 55 11 4191-2888 – E-mail: alphaville@fidelity.com.br São Paulo: Rua Libero Badaró, 377 - 29° andar - São Paulo - SP 01009-906 TEL.: 55 11 3188-5555 – Fax: 55 11 3188-5566 – E-mail: sp@fidelity.com.br Rio de Janeiro: TEL.: 55 21 2507-1988 – E-mail: rj@fidelity.com.br Belo Horizonte: TEL.: 55 31 3274-4343 – E-mail: mg@fidelity.com.br Curitiba: TEL.: 55 41 322-0077 - E-mail: pr@fidelity.com.br Porto alegre: TEL.: 55 51 3346-1111 – E-mail: rs@fidelity.com.br Brasilia: TEL.: 55 61 327-8001 – E-mail: df@fidelity.com.br

Matr. JUCESP Nº 1695 C.C.M. 9.382,440-0 C.P.F. Nº 701.395.718-68 R.G. 5.266.238

TRADUÇÃO Nº

LIVRO Nº

FOLHAS Nº

.

I-23785/05 SELENE CUBEROS PE

I, SELENE CUBEROS PEREZ, a Sworn Translator and Commercial Interpreter for the English language, duly sworn by the Board of Trade of the State of São Paulo - Federative Republic of Brazil, DO HEREBY CERTIFY that a document issued in the PORTUGUESE language was submitted to me, which I faithfully translated into ENGLISH, as follows: -.-

Translator's note: only the applicable parts were translated.]

[There is, on the top of the page, a stamp as follows:]

[illegible] - DEINPI/RS

May 11th, 2001 3:43 p.m. 001150

FILING Protocol [illegible]

Number (21)

203

MV 8100906-2

(For INPI use only)

FILING

Patent or Certificate of Addition Application

To National Institute for Industrial Property:

The applicant requests a patent granted with the nature and conditions indicated bellow:

- 1. Applicant (71):
- 1.1 Name: SCHEER CHURRASQUEIRAS E ACESSÓRIOS LTDA
- 1.2 Qualification: BRAZILIAN, INDUSTRIAL, COMMERCIAL
- 1.3 Corporate Taxpayer Registration (CGC) No. 97512966000140
- 1.4 Complete address: R. EUZÉBIO BELTRÃO QUEIROZ 2061 CAXIAS DO SUL 95034-330 RS
- 2 Nature:

[X] 2.2 Utility Model

Write, mandatorily and in full, the Nature requested: UTILITY MODEL

- 3 Title of Invention, Utility Model or Certificate of Addition (54): CONSTRUCTIVE ARRANGEMENT APPLIED TO PORTABLE BARBECUE GRILL
- 7. Inventor (72):
- 7.1 Name: DANIEL SCHEER VIAPIANA
- 7.2 Qualification: BRAZILIAN, SINGLE, INDUSTRIALIST

Form 1.01 - Patent or Certificate of Addition Application Filing (page 1/2)

- 7.3 Address: R. LUIS COVOLAN 1167 CAXIAS DO SUL RS
- 7.4 ZIP Code: 95034230
- 10. Attorney (74):
- 10.1 Name MARIO DE ALMEIDA MARCAS E PATENTES LTDA

Corporate Taxpayer Registration (CGC) No.: 00314029000148

TRADUTOR PÚBLICO

INGLÊS - PORTUGUÊS

TRADUÇÃO OFICIAL

Alphaville: Alameda Araguaia, 1293 - 7º andar - sala 706 - Barueri - SP - 06455-000 TEL.: 55 11 4191-6868 – Fax: 55 11 4191-2888 – E-mail: alphaville@fidelity.com.br São Paulo: Rua Libero Badaró, 377 - 29º andar - São Paulo - SP 01009-906 TEL.: 55 11 3188-5555 - Fax: 55 11 3188-5566 - E-mail: sp@fidelity.com.br Rio de Janeiro: TEL.: 55 21 2507-1988 - E-mail: rj@fidelity.com.br Belo Horizonte: TEL.: 55 31 3274-4343 - E-mail: mg@fidelity.com.br Curitiba: TEL.: 55 41 322-0077 - E-mail: pr@fidelity.com.br Porto alegre: TEL.: 55 51 3346-1111 - E-mail: rs@fidelity.com.br Brasília: TEL.: 55 61 327-8001 - E-mail: df@fidelity.com.br

Matr. JUCESP Nº 1695

C.P.F. Nº 701.395.718-68 R.G. 5.266,238

TRADUÇÃO №

C.C.M. 9.382.440-0

LIVRO Nº I-23785/05

203

FOLHAS Nº

10.2 Address: TRV TUIUTI 65 - PORTO ALEGRE - RS

10.3 ZIP Code: 90050270

10.4 Phone number 51 2255533

11. Enclosed documents (mark and indicate also the number of pages):

(The total number of only one copy of each document shall be indicated)

[X] 11.1 Payment form 01 page

[X] 11.2 Power of Attorney 01 page

[X] 11.5 Descriptive report 03 pages

[X] 11.6 Claims 01 page [X] 11.7 Drawings 06 pages

[X] 11.8 Abstract 01 page

[X] 11.9 Others (specify): INVENTOR DECLARATION 01 page

11.10 Total enclosed pages: 14 pages

12. I hereby declare, under the penalties of Law, that all information provided above are complete and true.

Place and Date: P Alegre - RS, 05/09/2001

Signed: [illegible signature]

Stamp: Mario de Almeida Marcas e Patentes Ltda.

Corporate Taxpayer Registration (CGC) No.: 00.314.029/0001-48

Registration no. 482

Form 1.01 - Patent or Certificate of Addition Application Filing (page 2/2)

"CONSTRUCTIVE ARRANGEMENT APPLIED TO PORTABLE BARBECUE GRILL".

Application field:

The present descriptive report to Utility Model patent relates to a constructive arrangement applied to portable barbecue grill, especially developed to prepare barbecues and grills, therefore, the present barbecue grill is applied in every wished area, as it is provided with technical subsides that make its moving and handling easy.

Invention history:

The state of the art known up to the present moment, in this sector, discloses the existence of several barbecue grills intended to prepare barbecues and grills, as they are already known in the state of the art. As analysis and comparison object, we may mention now existing portable barbecue grills, which are known to have low quality standards, having, therefore, lower cost, reaching a less demanding clientele, which can afford the object, even because there is no other option.

This patent has been thought of and designed in order to offer a new solution to the existing problems, featuring novel subsides we herein bring out.

TRADUTOR PÚBLICO

INGLÊS - PORTUGUÊS

TRADUÇÃO OFICIAL

Alphaville: Alameda Araguaia, 1293 - 7° andar - sala 706 - Barueri - SP - 06455-000 TEL.: 55 11 4191-6868 – Fax: 55 11 4191-2888 – E-mail: alphaville@fidelity.com.br São Paulo: Rua Libero Badaró, 377 - 29° andar - São Paulo - SP 01009-906 TEL.: 55 11 3188-5555 – Fax: 55 11 3188-5566 – E-mail: sp@fidelity.com.br Rio de Janeiro: TEL.: 55 21 2507-1988 – E-mail: rj@fidelity.com.br Belo Horizonte: TEL.: 55 31 3274-4343 – E-mail: ng@fidelity.com.br Curitiba: TEL.: 55 41 322-0077 - E-mail: pr@fidelity.com.br Porto alegre: TEL.: 55 51 3346-1111 – E-mail: rs@fidelity.com.br Brasília: TEL.: 55 61 327-8001 – E-mail: df@fidelity.com.br

Matr. JUCESP Nº 1695 C.C.M. 9.382.440-0 C.P.F. N° 701.395.718-68 R.G. 5.266.238

TRADUÇÃO Nº

LIVRO Nº

FOLHAS Nº

203

3

Invention novelties and objectives:

I-23785/05

The present patent, constructive arrangement applied to portable barbecue grill, intends to provide several advantages when compared to current models, namely: higher durability; easy movement; it does not rust; portable, case-shaped; operates with battery and electrical power-operated rotating system, which allows uniform roasting; with high security and calories concentration, low coal consumption and lower external heat.

Brief description of enclosed drawings:

With the purpose of illustrating and explaining the nature of the referred patent, portable barbecue grill, as disclosed in the report, according to a basic and preferred form of embodiment prepared by the applicant, reference is made to the enclosed drawings, which integrate and subside the present descriptive report.

However, the present patent shall not be limited to this only characterization and embodiment form, other possible materialization forms may be considered, which, however, are not out of the scope of the present Utility Model patent, namely: Barbecue grill with static spit; barbecue grill with static spit and grill; barbecue grill with rotating spit, in which the rotating system may be driven by means of a movable battery, with the vehicle lighter and/or directly connected to its battery; barbecue grill with rotating spit and grill; and grill.

For better understanding of the herein disclosed, the object of the present patent is embodied on:

FIGURE 01 - Perspective view;

FIGURE 02 - Side view;

FIGURE 03 - Perspective view with supporting base;

FIGURE 04 - Upper views;

FIGURE 05 - Front view;

FIGURE 06 - Perspective view of closed case.

Despite the present patent is described in conjunction with this preferred embodiment shown, it will be implied that the invention is not proposed to be limited simply to this embodiment, order or arrangement, i.e., the object may come in several types of materials, colors, sizes and variations in ornamental configuration, as long as its novel peculiar features herein claimed are kept.

Detailed description of the Invention:

As it can be inferred by analyzing the enclosed figures, the object is characterized by a supporting base (01) for the upper element said "portable barbecue grill", comprising one lower and upper element said "case" (02), which, when opened, exposes the barbecue grill body (03), and the fore part

TRADUTOR PÚBLICO

INGLÊS - PORTUGUÊS

TRADUÇÃO OFICIAL

Alphaville: Alameda Araguaia, 1293 - 7° andar - sala 706 - Barueri - SP - 06455-000 TEL.: 55 11 4191-6868 – Fax: 55 11 4191-2888 – E-mail: alphaville@fidelity.com.br São Paulo: Rua Libero Badaró, 377 - 29° andar - São Paulo - SP 01009-906 TEL.: 55 11 3188-5555 – Fax: 55 11 3188-5566 – E-mail: sp@fidelity.com.br Rio de Janeiro: TEL.: 55 21 2507-1988 – E-mail: rj@fidelity.com.br Belo Horizonte: TEL.: 55 31 3274-4343 – E-mail: ng@fidelity.com.br Curitiba: TEL.: 55 41 322-0077 - E-mail: pr@fidelity.com.br Porto alegre: TEL.: 55 51 3346-1111 – E-mail: rs@fidelity.com.br Brasília: TEL.: 55 61 327-8001 – E-mail: df@fidelity.com.br

Matr. JUCESP Nº 1695 C.C.M. 9.382.440-0

C.P.F. Nº 701.395.718-68 R.G. 5.266.238

TRADUÇÃO Nº

LIVRO Nº

I-23785/05

FOLHAS №

4

of the barbecue grill body is provided with an opening (04) for placing the spits (05), and its end is placed in the rotating system (06) of the case upper portion. The present object is also provided with an element (07) and an opening (08) for placing the spits and grills in static position.

203

Thus, the present patent related to a constructive arrangement applied to a portable barbecue grill, as it may be evidenced by reviewing the descriptive report content, also accompanied by enclosed illustrations, which subsided it, wherein its features are fully novel when compared to everything known in the state of the art in this sector, deserving, thus, the legal protection claimed.

CLAIM

1. "CONSTRUCTIVE ARRANGEMENT APPLIED TO PORTABLE BARBECUE GRILL", characterized by one base (01) for the upper element named "portable barbecue grill", comprising one lower and upper element named "case" (02), which, in preparation position exposes the barbecue grill body (03), and the fore portion of the barbecue grill body is provided with an opening (04), spits (05), and its end is in the rotating system (06) of the case upper portion, and also, one element (07) and one opening (08) on the "case" upper portion.

ABSTRACT "CONSTRUCTIVE ARRANGEMENT APPLIED TO PORTABLE BARBECUE GRILL"

The present descriptive report for Utility Model patent relates to a constructive arrangement applied to portable barbecue grill, especially developed to prepare barbecues and grills, therefore, the present barbecue grill is applied in every wished area, as it is provided with technical subsides that make its moving and handling easy.

The present patent intends to provide several advantages when compared to current models, namely: higher durability; easy movement; it does not rust; portable, case-shaped; operates with battery and electrical power-operated rotating system, which allows uniform roasting; high security and calories concentration, low coal consumption and lower external heat. It may come with static spit; with static spit and grill; with rotating spit, in which the rotating system may be driven by means of a 12-V movable battery, with the vehicle lighter and/or directly connected to its battery; and may be 110V or 220V, and with rotating spit and grill; and only with grill.

NOTHING FURTHER WAS CONTAINED IN THE DOCUMENT SUBMITTED.

I verified it and certify to it. The Sworn Public Translator. São Paulo, January 06, 2005.



The Telenest Telenest

11 MAI 15 4 3 5 001150 Protocolo MIES

MV 8100906-2

Número (21)

	(Uso exclusivo do I	NPI)									
DEPÓSITO Pedido de Patente ou de		depósito / /									
Certificado de Adição	Espaço reservado para etiqueta (número e data de depósito)									
Ao Instituto Nacional da	Propriedade Industrial:										
O requerente solicita a con-	cessão de uma patente na na	atureza e nas condições abaixo indicadas:									
1. Depositante (71):	Depositante (71):										
1.1 Nome: SCHEER CH	Nome: SCHEER CHURRASQUEIRAS E ACESSÓRIOS LTDA										
1.2 Qualificação: BRAS, 1.4 Endereço completo: RS	INDL,COML 1.3 CGC/C R EUZÉBIO BELTRÃO QU	PF: 97512966000140 EIROZ 2061 - CAXIAS DO SUL - 95034-330 -									
L5 Telefone:											
FAX:		continua em folha anexa									
Escreva, obrigatoriamente e por 3. Título da Invenção	extenso, a Natureza desejada: M	ão 2.2 Modelo de Utilidade ODELO DE UTILIDADE									
DISPOSIÇÃO CONSTRUTIVA	APLICADA EM CHURRASQU	ou do Certificado de Adição (54): EIRA PORTÁTIL Continua em folha anexa									
1. Pedido de Divisão d	o pedido nº. , de										
5. Prioridade Interna Nº de depósito	O depositante reivindica a Data de Depósito	seguinte prioridade: (66)									
. Prioridade - o depos	itante reivindica a(s) seguin	te(s) prioridade(s):									
País ou organização de origem	Número do depósito	Data do depósito									
		continua em folha anexa									
Inventor (72):											
Assinale aqui se	o(s) mesmo(s) requer(em)	a não divulgação de seu(s) nome(s)									
Nome: DANIEL SCHEI	· C Item 1.1 do Ato Normativo n	° 127/97)									

7.3	Endereço: R LUIS COVOLAN 1167 - CAXIAS DO SUL - RS								
7.4	CEP:	95034230	7.:		Telefone	•			
						continua en	ı folha anexa		
8.	Declaração na forma do item 3.2 do Ato Normativo nº 127/97:								
9.	Declaração de divulgação anterior não prejudicial (Período de graça):								
•	Decial 2 de I D	ração de divulgação an I e item 2 do Ato Norma	terior nã	o pre	judicial (Pe	riodo de graça)	:		
(care. 1	z da Li	1 e item 2 do Ato Norm	ativo nº 12	27/97):					
		em anexo							
10.		rador (74):	·		·		anexo .		
10.1	Nome	MARIO DE ALMEIDA M	ARCAS E	PATI	ENTES LTDA				
	CGC: 00:	314029000148							
10.2	0.2 Endereço: TRV TUIUTI 65 - PORTO ALEGRE - RS								
11.	CEP:		10.	4 7	elefone 51 22	255533			
	Docun Sec in	nentos anexados (assina	le e indiq	ue tar	nbém o núm	ero de folhas):			
		dicado o nº total de some	ente uma	H	ias de cada d T	ocumento)			
11.1	1 Guia d	le recolhimento	01 fls.	\boxtimes	11.5 Relatór	io descritivo	03 fls.		
⊠ 11.2	2 Procur	ação	01 fls.	\boxtimes	11.6 Reivino	licações	01 fls.		
11.3	B Docum	entos de prioridade	fls.	\boxtimes	11.7 Desenh	os	06 fls.		
11.4 Doc. de contrato de Trabalho fls. 11.8 Resumo)	01 fls.			
X 11.9	11.9 Outros (especificar): DECLARAÇÃO INVENTOR						01 fls.		
11.10 Total de folhas anexadas:						01 115.			
12.	Declar	soh nangs da Lai am	- 4 - 1	• •			14 fls;		
e verda	deiras	o, sob penas da Lei, que	e todas a	s info	rmações aci	ma prestadas	são completas		
					///				
							•		
PALEG	SRE-RS,	09.05.2001			to and	A. 8			
- Macau									
	Mario dessinatura Mario dessin						tda.		
	Mairicula nº 482								

"DISPOSIÇÃO CONSTRUTIVA APLICADA EM CHURRASQUEIRA PORTÁTIL".

Campo de aplicação:

5

10

15

20

25

O presente relatório descritivo para patente de Modelo de Utilidade refere-se a disposição construtiva aplicada em churrasqueira portátil, especialmente desenvolvida para preparar churrascos e grelhados, portanto, a presente churrasqueira é aplicada em todas as áreas desejadas, pois é provida de subsídios técnicos que facilitam sua locomoção e manuseio.

Antecedentes da invenção:

Sabe-se, através do estado da técnica, conhecido até o presente momento, neste setor, da existência de uma série de churrasqueiras com o objetivo de preparar churrascos e grelhados, como já são conhecidas no estado da técnica. Para objeto de análise e comparação, podemos citar as atuais churrasqueiras portáteis, que, como se sabe, tem um baixo padrão de qualidade e por isto apresentam-se com menor custo, atingindo uma clientela menos exigente, que podem adquirir o objeto, até mesmo, por falta de opção.

Para propor uma nova solução aos problemas existentes é que foi pensada e projetada esta patente, com subsídios inéditos que ressaltaremos.

Novidades e objetivos do invento:

A presente patente, disposição construtiva aplicada em churrasqueira portátil, objetiva uma série de vantagens em relação aos modelos atuais, são elas: maior durabilidade; fácil deslocamento; não enferruja; portátil em forma de maleta; funcionamento com forme; alta segurança e concentração de calorias, baixo consumo de carvão e; menor caloria externa.

Breve descrição dos desenhos em anexo:

No intuito de ilustrar e esclarecer a essência da patente em questão, churrasqueira portátil, conforme preconizado no relatório, segundo uma forma básica e preferencial de realização elaborada pelo requerente, faz-se referência aos desenhos anexos, que integram e subsidiam o presente relatório descritivo.

Entretanto, a presente patente não deverá ser limitada a esta única forma de caracterização e de concretização, podendo ser consideradas outras formas possíveis de materialização, que, contudo, não fujam do escopo da presente patente de Modelo de Utilidade, são elas: Churrasqueira com espeto estático; churrasqueira com espeto estático e grelha; churrasqueira com espeto giratório, sendo que o acionamento do sistema giratório pode ser por intermédio de bateria móvel, através do acendedor do veículo e/ou diretamente na bateria do mesmo; churrasqueira com espeto giratório e grelha e; grelha.

Para melhor compreensão do ora exposto, o objeto da presente patente está representado na:

FIG.01 – Vista em perspectiva;

FIG.02 - Vista lateral;

10

15

20

25

FIG.03 – Vista em perspectiva com base de sustentação;

FIG. 04 - Vistas superior;

FIG. 05 - Vista frontal.

FIG. 06 – Vista em perspectiva da maleta fechada.

Muito embora a presente patente seja descrita em conjugação

dido que não é proposto limitar-se a invenção simplesmente a esta concretização, ordem ou disposição, ou seja o objeto pode apresentar-se com diversos tipos de materiais, cores, tamanhos e variações em sua configuração ornamental, desde que guardem suas características peculiares inéditas aqui reivindicadas.

Descrição detalhada do Invento:

5

10

15

20

Como pode-se inferir pela análise das figuras anexas, o objeto é caracterizado por base de sustentação (01) do elemento superior dito "churrasqueira portátil", constituída por um elemento inferior e superior dito "maleta" (02) que ao abrir expõe o corpo da churrasqueira (03), sendo que a parte anterior do corpo da churrasqueira é provida de abertura (04) para colocação dos espetos (05), onde sua extremidade é colocada no sistema giratório (06) da parte superior da maleta. O presente objeto é provido, ainda de um elemento (07) e uma abertura (08) para a colocação dos espetos e grelhas em posição estática.

Desse modo, tratou-se na presente patente de uma disposição construtiva aplicada em churrasqueira portátil, conforme pode-se evidenciar pela análise realizada no conteúdo do relatório descritivo, acompanhada, ainda de ilustrações anexas, que a subsidiaram, onde suas características são completamente inéditas em relação a tudo o quê conhecemos no estado da técnica deste setor, merecendo, portanto, a proteção legal pleiteada.

REIVINDICAÇÃO

1."DISPOSIÇÃO CONSTRUTIVA APLICADA EM CHURRASQUEIRA PORTÁTIL", caracterizado por uma base (01) do elemento superior dito "churrasqueira portátil", constituída por um elemento inferior e superior dito "maleta" (02), que em posição de preparo expõe o corpo da churrasqueira (03), sendo que a parte anterior do corpo da churrasqueira é provida de abertura (04), espetos (05), onde sua extremidade está no sistema giratório (06) da parte superior da maleta e; ainda, um elemento (07) e uma abertura (08) na porção superior da "maleta".

5

10

RESUMO "DISPOSIÇÃO CONSTRUTIVA APLICADA EM CHURRASQUEIRA PORTÁTIL".

O presente relatório descritivo para patente de Modelo de Utilidade refere-se a disposição construtiva aplicada em churrasqueira portátil, especialmente desenvolvida para preparar churrascos e grelhados, portanto, a presente churrasqueira é aplicada em todas as áreas desejadas, pois é provida de subsídios técnicos que facilitam sua locomoção e manuseio.

10

15

5

A presente patente, objetiva uma série de vantagens em relação aos modelos atuais, são elas: maior durabilidade; fácil deslocamento; não enferruja; portátil em forma de maleta; funcionamento com sistema giratório à bateria e elétrico, o que permite um assado uniforme; alta segurança e concentração de calorias, baixo consumo de carvão e; menor caloria externa. Podendo apresentar-se com espeto estático; com espeto estático e grelha; com espeto giratório, sendo que o acionamento do sistema giratório pode ser por intermédio de bateria móvel, através do esqueiro do veículo e/ou diretamente na bateria do mesmo; podenso ser em 110V e 220V e com espeto giratório e grelha e; somente com grelha.

20




FIG.01




FIG.02




FIG.03




FIG.04





FIG.05



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: _____

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.